PHP Online Test

This **PHP Online Test** simulates a real online certification exams. You will be presented Multiple Choice Questions (MCQs) based on **PHP Concepts**, where you will be given four options. You will select the best suitable answer for the question and then proceed to the next question without wasting given time. You will get your online test score after finishing the complete test.

Total Questions - 20

18:26:34

Max Time - 20 Min



You scored 105.26%

Total Questions: 19, Attempted: 20, Correct: 20, Time Taken: 1.56 Min

Q - Which of the following method acts as a destructor function in a PHP class?

A - class_name()

B - destruct

C - destructor

D - None of the above.

Show Answer

Q - Which of the following function checks if a specified value exists in an array?

A - extract()

B - in_array()

0/2021	THE CHARGE TEST	racorraisponic	
C - key()			
D - krsort()			
			Show Answer

Q - Which of the following is correct about eregi() function?

- A The eregi() function searches a string specified by string for a string specified by pattern, returning true if the pattern is found, and false otherwise.
- B The eregi() function searches throughout a string specified by pattern for a string specified by string. The search is not case sensitive.
- C The eregi() function searches string for pattern, returning true if pattern exists, and false otherwise.
- D None of the above

Show Answer

Q - If there is any problem in loading a file then the include() function generates a warning but the script will continue execution.

A - true

B - false

Show Answer

- Q Which of the following function is used to read the content of a file?
- A fopen()
- B fread()
- C filesize()
- D file_exist()

Show Answer

Q -	Which of the	following	function	returns the	e sum	of the	values i	in an arra	y?
------------	--------------	-----------	----------	-------------	-------	--------	----------	------------	----

A - array_sum()

B - array_splice()

C - array_udiff()

D - array udiff assoc()

Show Answer

Q - Which of the following operator is used to concatenate two strings?

A - .

B - +

C - append

D - None of the above.

Show Answer

Q - Which of the following is correct about PHP?

A - PHP is a recursive acronym for "PHP: Hypertext Preprocessor".

B - PHP is a server side scripting language that is embedded in HTML.

C - It is used to manage dynamic content, databases, session tracking, even build entire e-commerce sites.

D - All of the above.

Show Answer

Q - Which of the following method of Exception class returns array of the backtrace?

A - getMessage()	
B - getCode()	
C - getTrace()	
D - getTraceAsString()	
	Show Answer

Q - Which of the following magic constant of PHP returns current line number of the file?

A - LINE

B - FILE

C - _FUNCTION_

D - CLASS

Show Answer

- Q If there is any problem in loading a file then the require() function generates a warning but the script will continue execution.
- A true

B - false

Show Answer

- Q Which of the following is true about php.ini file?
- A The PHP configuration file, php.ini, is the final and most immediate way to affect PHP's functionality.
- B The php.ini file is read each time PHP is initialized.
- C Both of the above.
- D None of the above.

Show Answer

Q - Which of the following is correct about constants vs variables in PHP?

- A Constants may be defined and accessed anywhere without regard to variable scoping rules.
- B Once the Constants have been set, may not be redefined or undefined.
- C Both of the above.
- D None of the above.

Show Answer

Q - Which of the following variable is used for the PHP script name?

A - \$_PHP_SELF

- B-\$SELF
- C \$PHP
- D None of the above.

Show Answer

Q - Which of the following provides content type of the uploaded file in PHP?

- A \$_FILES['file']['tmp_name']
- B \$_FILES['file']['name']
- C \$_FILES['file']['size']
- D \$_FILES['file']['type']

Show Answer

Q - Can you create a class in PHP?

A - true
B - false

Show Answer

Q - Which of the following is correct about NULL?

- A NULL is a special type that only has one value: NULL.
- B The special constant NULL is capitalized by convention, but actually it is case insensitive.
- C Both of the above.
- D None of the above.

Show Answer

Q - Which of the following array represents an array containing one or more arrays?

- A Numeric Array
- B Associative Array
- C Multidimentional Array
- D None of the above.

Show Answer

Q - Which of the following variable is used to get user's browser and operating system details in PHP?

A - HTTP_USER_AGENT

- **B-USER**
- C AGENT
- D None of the above.

Show Answer

Q - Which of the following gives a string containing PHP script file name in which it is called?

A - \$_PHP_SELF

B - \$php_errormsg

C - \$_COOKIE

D - \$_SESSION

Show Answer

New Test